


opk SPACESHIP 80 W/G

Pocket

GERINGE GRÖSSE. MAXIMALE ERGEBNISSE.
SMALL SIZE. MAXIMUM RESULTS.
UNE TAILLE COMPACTE. DES RÉSULTATS REMARQUABLES.



opk Spaceship 80 W

Minimal Pocket











Technische Zeichnung

Technical drawing / Plans et schémas

Profilgrößen

Profile dimensions
Tailles des profil



opk Spaceship 80 W Minimal Pocket



Art.-Nr./No./N° d'art.

		≤80	≤580	03-011-703-200
--	--	-----	------	----------------

Konfiguration für 1 Tür

Configuration for 1 door / Configuration pour 1 porte



Laufwerk mit 2-Wege Dämpfer <i>Running part with two-way damper / Train de roulement avec amortisseur 2 voies</i>		1
Laufwerk <i>Running part (roller) / Train de roulement</i>		1
Aktivator lang <i>Activator long / Activateur long</i>		1
Aktivator <i>Activator / Activateur</i>		1
Aufhängung Minimal Holz <i>Minimal bracket wood / Suspension Minimal bois</i>		1
Aufhängung Minimal Pocket Holz <i>Floor guide pocket wood / Suspension Minimal Pocket bois</i>		1
Bodenführung Pocket Holz <i>Floor guide pocket bracket wood / Guide Pocket bois</i>		1
Endstopper <i>End Stopper / Butée d'extrémité</i>		2
Endkappe Führungsschiene <i>Cover cap guiding track / Embout rails de guidage</i>		1
Führungsschwert unten <i>Guiding sword floor bottom / Guide épée en bas</i>		1
Zubehörset Pocket Holz <i>Accessories pocket wood / Set d'accessoires Pocket bois</i>	x1 x2 x5 x8	1


opk Spaceship 80 W Minimal Pocket

Montage Kit (inkl. Lauf- und Führungsschiene)

Mounting kit (incl. running and guiding track) / Kit de montage (rail de roulement et rail de guidage)


Art.-Nr./No./N° d'art.	03-011-702-G20 (2050mm)	03-011-702-G25 (2500mm)	Mg/ Qty/Qté
Lauf- und Montageschiene 33mm vormontierte Haken <i>Run- and Mounting track premounted hooks / Rail de roulement et de montage, crochets prémontés</i>			1
Führungsschiene Holz (1250mm) <i>Guiding track wood (1250mm) / Rail de guidage bois (1250 mm)</i>			1
Konfiguration für 1 Tür <i>Configuration for 1 door (whole set fittings of 03-011-703-200) / Configuration pour 1 porte (ensemble complet de raccords de 03-011-703-200)</i>			1

Alles drin!
All inclusive!
Tout compris!



opk Spaceship 80 Push To Open

Technische Zeichnung Technical drawing / Plans et schémas



opk Spaceship 80

Push To Open



Art.-Nr./No./N° d'art.

		≤80	≤580	03-015-003-003

Konfiguration für 1 Tür

Configuration for 1 door / Configuration pour 1 porte










Laufwagen mit Kontaktplatte <i>Single roller with contact plate / Train de roulement avec plaque de contact</i>		1 Satz/ 1 set/ 1 set
Pocket Push to Open <i>Pocket Push to Open / Pocket Push to Open</i>		

opk Spaceship 80 W/G Pocket



Schienen, Zubehör

Tracks, Accessories / Rails, Accessoires

Produktbeschreibung Product description / Description du produit		Material Material / Matériel	Farbe Finish / Couleur	Länge (mm) Length / Longueur	Art.-Nr./No./ N° d'art.
Laufschiene 33mm vormontierte Haken <i>Runing track premounted hooks/ Rail de roulement crochets prémontés</i> 		Aluminium eloxiert <i>Anodized aluminium Aluminium anodisé</i>	Silber <i>Silver Argent</i>	1700	03-016-252-G17
				2050	03-016-252-G20
				2500	03-016-252-G25
				3000	03-016-252-G30
Montageschiene 55x15mm Pocket <i>Mounting track 55x15mm / Rail de montage 55x15mm</i> 		Aluminium <i>Aluminium Aluminium</i>	Roh <i>Raw Brut</i>	1700	03-016-252-F17
				2050	03-016-252-F20
				2500	03-016-252-F25
				3000	03-016-252-F30
Montageschiene - U-Profil für deckenbündige Montage <i>Mounting track - U-profile for installation flush / Rail de montage - profilé en U pour un montage affleuré au plafond</i> 		Aluminium <i>Aluminium Aluminium</i>	Roh <i>Raw Brut</i>	2050	03-018-100-020
				3000	03-018-100-030
Verbinder Laufschiene <i>Connecting bracket / Connecteur de rails</i> 		Aluminium <i>Aluminium Aluminium</i>	Roh <i>Raw Brut</i>	100	03-015-000-400
Führungsschiene Holz <i>Guiding track wood / Rail de guidage bois</i> 		Aluminium <i>Aluminium Aluminium</i>	Roh <i>Raw Brut</i>	1250	03-017-100-012
				2500	03-017-100-025
Blende Glasklemmschuh <i>cover glass clamp / Cache cosse de serrage verre</i>  		Aluminium eloxiert <i>Anodized aluminium Aluminium anodisé</i>	Silber <i>Silver Argent</i>	2500	03-016-25D-025
Endkappe Glasklemmschuh <i>coverup glass clamp / Embout cosse de serrage verre</i>  		Kunststoff <i>Plastic Plastique</i>	Silber <i>Silver Argent</i>	2 Stück 2 piece 2 pièce	03-016-34D-003